Anglican Church of Canada Diocese of Fredericton

Regulation 4-4: Diocesan Safe Church

The Diocesan Event Checklist

Name of Event:	Date:			
Location of Event:				
Part 1: Leader must complete this checklist for <u>ALL</u> activities/events				
	Yes	Action Pending		
Has Leader prepared a risk assessment?				
Has risk assessment been reviewed by authority?				
Are well-stocked first aid kits accessible?				
Does at least one Leader or volunteer have Standard First Aid training?				
Has Diocesan Facility Checklist been completed?				
Does event satisfy two adult standard?				
Does event comply with Off-site Adult-to-				
Participant Minimum Ratio Standard?				
Is event located in open/accessible space?				
Are Leaders/volunteers appropriately identified?				
Have Leaders/volunteers provided Police Record Check?				
Have Leaders/volunteers completed Safe Church Regulation Training?				
Does Leader have contact information for parents and/or caregivers?				
Will participants be made aware of fire exits and evacuation procedure?				
Has menu content (if any) been considered for food-sensitivities, and been clearly communicated?				

Part 2: **IN ADDITION**, if activity is **over-night or off-site**, Leader must complete this checklist

	Yes	Action Pending
Have details and itinerary been provided to the parish?		
Does each driver have valid Driver's License and Automobile Insurance?		
Do number of seat-belts fit number of occupants?		
Are all child seats installed properly?		
Does the Leader have completed Program Waiver and Medical Release Forms?		
Has a copy of completed Program Waiver and Medical Release Forms been left with the parish?		
Does venue adhere to Safe Church Facility Standards?		
Does event comply with Off-site Adult-to- Participant Minimum Ratio Standard?		
If event involves body of water, is qualified lifeguard in attendance throughout event?		
Has each responsible adult been assigned a group of children for which s/he will be responsible?		
Does one Leader/volunteer have access to working communication device?		